manner as to have an adverse effect upon the safety, purity, potency and effectiveness of the product. At the time of filling, the final container shall be identified by a number so as to relate it to the donor.

[42 FR 21774, Apr. 29, 1977, as amended at 47 FR 15330, Apr. 9, 1982; 50 FR 4139, Jan. 29, 1985; 64 FR 45373, Aug. 19, 1999; 66 FR 1837, Jan. 10, 2001; 66 FR 40890, Aug. 6, 2001]

§ 640.55 U.S. Standard preparation.

A U.S. Standard Antihemophilic Factor (Factor VIII) preparation may be obtained from the Center for Biologics Evaluation and Research, (HFM-407) (see mailing addresses in \$600.2 of this chapter) for use in the preparation of a working reference to be employed in a quality control potency test of Cryoprecipitated AHF.

[42 FR 21774, Apr. 29, 1977, as amended at 49 FR 23834, June 8, 1984; 50 FR 4140, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 70 FR 14985, Mar. 24, 2005]

§640.56 Quality control test for potency.

- (a) Quality control tests for potency of antihemophilic factor shall be conducted each month on at least four representative containers of Cryoprecipitated AHF.
- (b) The results of each test are received by the establishment licensed for Cryoprecipitated AHF within 30 days of the preparation of the cryoprecipitated antihemophilic factor and are maintained at that establishment so that they may be reviewed by an authorized representative of the Food and Drug Administration.
- (c) The quality control test for potency may be performed by a clinical laboratory which meets the standards of the Clinical Laboratories Improvement Amendments of 1988 (CLIA) (42 U.S.C. 263a) and is qualified to perform potency tests for antihemophilic factor. Such arrangements must be approved by the Director, Center for Biologics Evaluation and Research, Food and Drug Administration. Such testing shall not be considered as divided manufacturing, as described in §610.63 of this chapter, provided the following conditions are met:
- (1) The establishment licensed for Cryoprecipitated AHF has obtained a

written agreement that the testing laboratory will permit an authorized representative of the Food and Drug Administration to inspect its testing procedures and facilities during reasonable business hours.

- (2) The testing laboratory will participate in any proficiency testing programs undertaken by the Center for Biologics Evaluation and Research, Food and Drug Administration.
- (d) If the average potency level of antihemophilic factor in the containers tested is less than 80 units of antihemophilic factor per container, immediate corrective actions shall be taken and a record maintained of such action.

[42 FR 21774, Apr. 29, 1977, as amended at 49 FR 23834, June 8, 1984; 50 FR 4140, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 64 FR 45373, Aug. 19, 1999; 66 FR 1837, Jan. 10, 2001]

Subpart G—Source Plasma

§640.60 Source Plasma.

The proper name of the product shall be Source Plasma. The product is defined as the fluid portion of human blood collected by plasmapheresis and intended as source material for further manufacturing use. The definition excludes single donor plasma products intended for intravenous use.

[41 FR 10768, Mar. 12, 1976, as amended at 50 FR 4140, Jan. 29, 1985]

§ 640.61 Informed consent.

The written consent of a prospective donor shall be obtained after a qualified licensed physician has explained the hazards of the procedure to the prospective donor. The explanation shall include the risks of a hemolytic transfusion reaction if he is given the cells of another donor, and the hazards involved if he is hyperimmunized. The explanation shall consist of such disclosure and be made in such a manner that intelligent and informed consent be given and that a clear opportunity to refuse is presented.

§ 640.62 Medical supervision.

A qualified licensed physician shall be on the premises when donor suitability is being determined, immunizations are being made, whole blood is